## MAINTENANCE EXPENDITURE LIMITS

FOR

**FSC GROUP 66** 

FSC CLASSES 6605, 6625, 6635, 6640, 6665, 6670, 6675, 6685

DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

HEADQUARTERS, DEPARTMENT OF THE ARMY

edea Tib 40-Cump-dil, 20 February 1910.

il.

## APPENDIX G EXPENDITURE LIMITS FOR FSC CLASS 6670

ß	6670-00-401-7195	6670-00-401-7100	6670-00-401-3005	6670-00-401-3000	6670-00-361-1388	6670-00-254-4630	6670-00-240-5807	6670-00-164-0567	6670-00-164-0559	6670-00-164-0558	6670-00-164-0556	6670-00-164-0555	6670-00-164-0554	6670-00-164-0551	6670-00-164-0550	-	National Stock No.	FSC or
				8	<u>8</u>		1991											
	BALANCE TORSION, LABORATORY	BALANCE TORSION, LABORATORY	BALANCE ANALYTICAL	BALANCE ANALYTICAL	SCALE, DIAL INDICATING, MOBILE, 200 LB. CAPACITY	SCALE BEAM INDICATING, 250 LB	SCALE BEAM INDICATING BENCH 24 LB	SCALE BEAM INDICATING 100 LB	SCALE DIAL AND BEAM INDICATING 75 LB	SCALE BEAM INDICATING 2500 LB	SCALE BEAM INDICATING 1000 LB	LB	SCALE DIAL AND BEAM INDICATING 250 LB	SCALE DIAL AND BEAM INDICATING 10 LB	SCALE DIAL AND BEAM INDICATING 5 LB	2	Item Identification	
35	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All "erial Nos, makes and models	All serial Nos, makes and models	and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	ဒ	and remarks	Technical manual number identification				
															90	4	Year	Profession
													P\$			5	USA No.	Serial No.
45	15	15	18	18	18	20	1 2	; <del>d</del>	; <del>d</del>	20	8		8 8	3 =====================================	18	6	expectancy	Life Yrs of
	2	1.2	2.5	1.0	1.2	ž			1.2	: :	: ដ	i	ಪ ಪ	\$ 15	1.2	7	65%	
	3.5	<u>သ</u> ဘ	4													8	55%	
	6-7	6-7	3.5	3.5	3.5	· -	, , ,	ာ မ	ن م ن م	4 6	4-10	;	4-10	<u>.</u>	3 5 5	9	50%	Repo
=	8-9	8.9				1.12	: q	5		7::1	21-12	3	11-12	11.13		ō	45%	Repair Limitations
	10:11	10.11	6-10	610	2 5	2 2	<b>3</b> 9	5 6	n 9	5 5	3 13	ĥ	13-15	3.15		=	35%	3.
	12-13	12-13	11-12	11-12	-	; ;	6 6	3 7	1 1	3 8	6 6	6	16-18	16-18 18-18	11.12	12	25%	
	14-15	14-15	13.18	13-18	9		<b>p</b> 5	3 6	3 0	3 6	19.20	3	19-20	19.20	13-18	ಪ	10%	

## APPENDIX G EXPENDITURE LIMITS FOR FSC CLASS 6670 - Continued

			<u> </u>	-	-										
		6670-00-856-0875	6670-00-310-7780	6670-00-788-9000	6670-00-786-8700	6670-00-741-8539	6670-00-556-7707	6670-00-501-5050	6670-00-501-4000	6670-00-494-3604	6670-00-428-3066	6670-00-401-8400	-	National Stock No.	FSC or
	a.i.	SCALE, WEIGHING HIGHWAY, 200 LB	SCALE, DIAL INDICATING, 50	SCALE, PERSON WEIGHING, 0-300 LB	SCALE, INFANT WEIGHING, 36 LB	SCALE, PREPACKAGED FOODS, 0-99 LB	SCALE BEAM INDICATING, 300 LB	BALANCE PRESCRIPTION (DENTAL)	BALANCE PRESCRIPTION (DENTAL)	SCALE BEAM INDICATING. 1610MG	SCALE DIAL INDICATING BENCH, 250 LB	BALANCE PRESCRIPTION, 10 MG	2	Item Identification	
		All serial Nos, makes and models	All serial Nos, makes	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	All serial Nos, makes and models	3	to end item and remarks	Technical manual number identification
													4	Year	
2 H	d d												5	USA No.	Serial No.
a 2	<u> </u>	20	18	20	18		20	: æ	; <del>,</del>	÷ 5	20	: 5	6	expectancy	Yrsof
		: :	1.2		<del>ا</del>				; ;			: 2	7	65%	
								ن	s c	ა დ ი ს	) )	ن ن	8	55%	
18 19 800 V		4-10	3.7	4-10		 2 3	. :		0 0	6.7	6.7	ę.	3 9	50%	Яe
	**	11-12		111-12			: :	3	0 0	p. 0.	9.0	: 0	3 5	45%	Repair Limitations
		13.15	8.10	13-15	5 9	2 2	3 6	3 6	5 6		10 13:13	<b>3</b>	===	35%	tions
n 9	/4	16-18	11.12	16-18	-	: 6	16-18	6 6	\$ i	12:13	10 0	5 15	3 73	25%	
<u> </u>	樹	19-20	13.18	19:20	5 5			19.50	14.15	14-15	14.15	10.20	1 2	10%	